

## REFERENCIAS

- Ambraseys, N.N. and Adams, R.D., 2001, *The seismicity of Central America: a descriptive Catalogue 1898-1995*: London: Imperial College Press.
- Ambraseys, N.N., Simpson, K.A., y Bommer, J.J., 1996, Prediction of horizontal response spectra in Europe: *Earthquake Engineering and Structural Dynamics*, v. 25, p. 371-400.
- Araya, R. and Saragoni, G. R. (1984). Earthquake accelerogram destructiveness potential factor. *Proceedings of the Eight World Conference on Earthquake Engineering*, San Francisco, Vol. 2, 835-842.
- Arias, A. (1970). A measure of earthquake intensity. *Seismic design for nuclear power plants*, MIT Press, Cambridge, Massachusetts, 438-483.
- Atkinson, G.M. y Boore, D.M., 2003, Empirical ground-motion relations for subduction zone earthquakes and their application to Cascadia and other regions: *Bulletin of the Seismological Society of America*, v. 93 (in press).
- Benito B., Cabañas L., Martínez A. (1997). Correlación entre parámetros del movimiento del suelo y daño estructural en El Salvador. *Proc. of Seminar on Assessment and Mitigation of seismic risk in the Central American Area*, San Salvador, 22-26 sept, 89-108.
- Benito, B., Lamas, F., López Casado, c., Negredo, A., Pastor, M. y Pazos, A., 2001, Estudio de la crisis sísmica de enero-febrero de 2001 en El Salvador: Asistencia Técnica Española, documento no publicado, 167 pp.
- Bommer, J., Benito, B., Ciudad-Real, M., Lemoine, A., López-Menjivar, M., Madariaga, R., Mankelov, J., Mendez-Hasbun, P., Murphy, W., Nieto-Lovo, M., Rodríguez, C., and Rosa, H., 2002, The Salvador earthquakes of January and February 2001: Context, characteristics and implications for seismic risk: *Soil Dynamics and Earthquake Engineering*, Vol. 22, 5, p. 389-418.
- Bommer, J.J., Udías, A., Cepeda, J.M., Hasbun, J.C., Salazar, W.M., Suárez, A., Ambraseys, N.N., Buforn, E., Cortina, J., Madariaga, R., Méndez, P., Mezcuca, J. y Papastamatiou, D., 1997, A new digital accelerograph network for El Salvador: *Seismological Research Letters*, v. 68, p. 426-437.
- Bommer, J.J. & A. Martínez-Pereira (2000). Strong Motion parameters: definition, usefulness and predictability. *Proceedings 12th WCEE*. New Zealand.
- Braga, F. Dolce, M. And Liberatore, D. (1982). A statistical study on damaged buildings and an ending review of the MSK-76 scale. *Proceedings of the 7th ECEE*. Athens
- Buforn, E., Lemoine, A., Udías, A., and Madariaga, R., 2001, Mecanismo focal de los terremotos de El Salvador: 2º Congreso Iberoamericano de Ingeniería Sísmica, Octubre 2001, Madrid.
- Cabañas L., Benito B., Herráiz M. (1997). An Approach to the Measurement of the Potential Structural Damage of Earthquake Ground Motions. *Earthquake Engineering & Struct. Dyn.* 26 pp. 79-92.
- Cepeda, J.M., Benito, M.B., y Burgos, E.A., 2004, Strong motion characteristics of January and February 2001 earthquakes in El Salvador, Rose W., Bommer J., López D., Carr M., Major J., Editors. In: *Natural Hazards in El Salvador*. Geological Society of America, 2004: 405-21.
- Chávez J., Goula X., Roca T., Cabañas L., Benito B., Rinaldis D., Sabetta F., (1998). Observaciones de daño correspondientes al terremoto de Irpinia (Italia) de 1980. Parte II: Análisis de daños y de parámetros del movimiento del suelo correspondientes al terremoto de Irpinia (Italia) de 1980. *Proc. de la IX Asamblea Nacional de Geodesia y Geofísica*. Almería (España). Febrero.
- Chinnery, M.A., 1963, The stress changes that accompany strike-slip faulting: *Bulletin of the Seismological Society of America*, Vol. 53, p. 921-932.
- Comité de Evaluación Técnica de Daños de Emergencia Nacional, 2001, Informe Final, Volumen 1, El Salvador.
- DeMets, C., 2001, A new estimate for present-day Cocos-Caribbean plate motion: Implications for slip along the Central American volcanic arc: *Geophysical Research letters*, Vol. 28, 21, p. 4043-4046.
- Deng, J., and Sykes, L.R., 1997, Stress evolution in Southern California and triggering of moderate-, small-, and micro-sized earthquakes: *Journal Geophysical Research* 102, 24, p. 411-435.
- Dewey, J.W., and Suarez, G., 1991, Seismotectonics of Middle America: Slemmons et al editors, *Neotectonics of North America*, Geological Society of America Decade Map, V 1, GSA, p.309-321.
- Dobry, R., Borcherdt, R., Crouse, C., Idriss, I., Joyner, W., Martin, G., Power, M., Rinne, E. y Seed, R., 2000, New site coefficients and site classification system used in recent building seismic code provisions: *Earthquake Spectra*, v. 16, p. 41-67.

- EPRI (1988). A criterion for determining exceedance of the operating basis earthquake. EPRI NP-5930. Electrical Power Research Inst., Palo Alto, CA, 1988.
- European Seismological Commission, 1998, European Macroseismic Scale 1998, EMS-98.
- FEMA, 1997, NEHRP recommended provisions for seismic regulations for new buildings and other structures, FEMA 302, Federal Emergency Management Agency, Washington DC.
- Guzman-Speciale, M., 2001, Active seismic deformation in the grabens of northern Central America and its relationship to the relative motion of the North America-Caribbean plate boundary: *Tectonophysics* 337, p. 39-51.
- Harlow, D.H., and White, R.A., 1985, Shallow earthquakes along the volcanic chain in Central America. Evidence for oblique subduction: *Earthquake notes*, Vol. 55, p. 28.
- Harris, R.A., 1998, Introduction to special section: Stress triggers, stress shadows, and implications for seismic hazard: *Journal of Geophysical Research*, 103, 24, p. 347-358.
- Harris, R.A., Simpson, R.W., and Reasenberg, P.A., 1995, Influence of static stress changes on earthquake locations in southern California: *Nature*, 375, p. 221-224.
- International Code Council, 2000, International Building Code.
- Italtelkna-Italconsult, 1987, Valutazione della pericolosità sismica nelle aree del Distretto Sanitario A3 (San Salvador) e del Distretto 7 (Apopa). Parte 4ª - studi di risposta sismica locale ed elaborazione delle carte di Ricostruzione, Repubblica Italiana, Ministero degli Affari Esteri, Direzione Generale per la Cooperazione allo Sviluppo.
- Iwata T., Nakane H., Tazoe T., Shimizu K., Kataoka S. (1992). Demonstrative evaluation of variables indicating severity of earthquake applicable to earthquake sensors for control. Proc. 10th WCEE. Madrid 1992. Balkema Rott. 381-385.
- Housner, G. W. (1952). Intensity of ground motion during strong earthquake. California Institute of Technology, Earthquake Research Laboratory. August.
- Jaumé, S.C., and Sykes, L.R., 1992, Change in the state of stress on the southern San Andreas Fault resulting from the California earthquake of April to June 1992: *Science*, 258, p. 1325-1328.
- King, G.C.P., Stein, R.S., and Lin, J., 1994, Static stress changes and the triggering of earthquakes: *Bulletin of the Seismological Society of America*, Vol. 84, p. 935-953.
- Lomnitz, C., and Rodríguez, S., 2001, El Salvador 2001: Earthquake disaster and disaster preparedness in a Tropical Volcanic environment: *Seismological Research Letters*, Vol. 72, 3, p. 346-351.
- López Casado, C., Benito, B., Bommer, J.J., Ciudad Real, M., y Peláez, J.A., 2001, Análisis de los acelerogramas registrados en los terremotos de El Salvador de 2001.
- Ministerio de la Construcción del Japón, 1991, Norma para la evaluación del nivel de daño por sismo en estructuras y guía técnica de rehabilitación (Estructuras de concreto reforzado). Editado por Takeshi Jumonji, traducido por Marimo Sugahara y Oscar López Bátiz, Centro Nacional de Prevención de Desastres, México.
- Ministerio de Obras Públicas, Transporte y Vivienda y Desarrollo Urbano, 1994, Norma Técnica de Diseño por Sismo, Reglamento para la Seguridad Estructural de las Construcciones, El Salvador.
- Okada S., Pomonis A., Coburn A.W., Spence R.J.S., Ohta Y. (1991) Factors influencing casualty potential in buildings damaged by earthquakes. Preliminary Report on the Collaborative Study among Univ. of Cambridge, Univ. Hokkaido & Univ. Tokyo. (first draft).
- Okada, Y., 1992, Internal deformation due to shear and tensile faults in a half space: *Bulletin of the Seismological Society of America*, Vol. 82, p. 1018-1040.
- Omori, F., 1884, On the aftershocks of earthquakes: *Journal College of Sciences, Imperial University*, Vol. 7, p. 111-200.
- Parsons, T., Toda, S., Stein, R., Barka, A., and Dieterich, J., 2000, Heightened odds of large earthquakes near Istanbul: An interaction based probability calculation: *Science*, 288, p. 661-665.
- Polat, O., Eyidogan, H., Haessler, H., Cisternas, A., and Phillip, H., 2002, Analysis and interpretation of the aftershock sequence of the August 17, 1999, Izmit (Turkey) earthquake: *Journal of Seismology*, in *Journal of Seismology*, Vol 6, p. 287-306.
- Reasenberg, P., and Simpson, R., 1992, Response of regional seismicity to the static stress change produced by Loma Prieta Earthquake: *Science*, 255, p. 1687-1690.

- Rojas, W., Bungum H., Lindholm, C.D., 1993, A catalogue of historical and recent earthquakes in Central America: Report NORSAR, 77 p.
- Sabetta F., Goretti A., Lucantoni A. (1998). Empirical fragility curves from damage surveys and estimated strong ground motion. Proc. 11th ECEE. Balkema Rott.
- Sandi H (1986). An engineer's approach to the scaling of ground motion intensity. Proceedings 8th ECEE, Lisbon.
- Saragoni R. (1981). Influencia de la aceleración máxima, duración y contenido de frecuencias en los daños producidos por los terremotos. Boletín del Laboratorio de Carreteras y Geotecnia (España). Num 144 pags 15-32.
- Saragoni R., Diaz H. (1992). Velocity of seismic damage. Proc. 10th WCEE. Madrid 1992. Balkema. 369-374.
- Scholz, C., 1990, The mechanics of earthquakes and faulting: Cambridge University Press (Cambridge), 439 p.
- SEISAN, earthquake analysis software for the IBM PC and SUN, Version 7.1, May 2000: Institute of Solid Earth Physics, University of Bergen, Norway.
- Spence, R. J., Coburn, A. W., Sakai, S. and Pomonis, A. (1991). A parameterless scale of seismic intensity for use in seismic risk analysis and vulnerability assessment. Earthquake, blast and impact: Measurement and effects of vibration. Edited by SECED, Elsevier, 19-30.
- Spence R.J.S., Coburn A.W., Pomonis A. and S. Sakai (1992). Correlation of ground motion with building damage: The definition of a new damage-based seismic intensity scale. Proc. 10th WCEE. Madrid 1992. Balkema Rott. 551-556.
- Spudich, P., Joyner, W.B., Lindh, A.G., Boore, D.M., Margaris, B.M., y Fletcher, J.B, 1999, SEA 99 – A revised ground motion prediction relation for use in extensional tectonic regimes: Bulletin of the Seismological Society of America, v. 89, No. 5, p. 1156-1170.
- Stein, R.S., 1999, The role of stress transfer in earthquake recurrence: Nature, 402, p. 605-609.
- Stein, R. S., and Lisowski, M., 1983, The Homestead Valley earthquake sequence, California: Control of aftershocks and postseismic deformations: Journal Geophysical Research. 88, p. 6477-6490.
- Sucouglu, H. and Nurtug, A. (1995). Earthquake ground motion characteristics and seismic energy dissipation. Earthquake engineering and structural dynamics, Vol. 24, 1195-1213.
- Sucouglu, H. and Erberik M. A. (1998). Influence of ground motion intensity parameters on elastic response spectra. Proceedings of the 11th European Conference on Earthquake Engineering, Paris.
- Toda, S., Stein, R.S., Reasenberg, P.A., and Dieterich, J.H., 1998, Stress transferred by the  $M_w = 6.5$  Kobe, Japan, shock: Effect on aftershocks and future earthquake probabilities: Journal Geophysical Research 103, 24, p. 543-565.
- Weinberg, R.F., 1992, Neotectonic development of western Nicaragua: Tectonics, 11, p. 1010-1017.
- Wells, D.L., and Coppersmith, K.J., 1994, New empirical relations among magnitude, Rupture length, rupture width, rupture area and surface displacement: Bulletin of the Seismological Society of America, Vol. 85, No. 1, p. 1-16.
- White, R., 1991, Tectonic implications of upper-crustal seismicity in Central America: The Geology of North America, Decade map, Vol. 1, p. 323-338.
- White, R.A., and Harlow, D.H., 1993, Destructive upper-crustal earthquakes of Central America since 1900: Bulletin of the Seismological Society of America, Vol. 83, p. 1115-1142.
- Yongs, R.R., Chiou, S.J., Silva, W.J., y Humphrey, J.R., 1997, Strong motion attenuation relationships for subduction zone earthquakes: Seismological Research Letters, v. 68, p. 58-73.